



www.lalizas.com

LIFEBUOY RING LACCESSORIES


Behole Carpion The new Height Champion





Behold The new Height Champion

The PE Grab line which surrounds the LALIZAS Lifebuoy Ring, is designed to withstand oil and flames and provides easy & quick grab in case of emergency



Every LALIZAS Lifebuoy Ring is equipped with 400 sq.cm of Lalizas approved Retro-Reflective Tape (LALIZAS Code 70180) The Highly visible colour of LALIZAS Lifebuoy Ring makes it easily detectable in water, through waves and humidity



Behold The new Height Champion

LALIZAS Lifebuoy Ring SOLAS

Being on top of safety standards in marine equipment industry, requires tremendous effort & true passion... Two elements which enforce our originality & challenge us with every day.

LALIZAS Lifebouoy Ring SOLAS is the new 80m height Champion.



SUITABLE FOR OFFSHORE DRILLING UNITS, CERTIFIED IN ACCORDANCE WITH THE

IMO MODU CODE

COMPARISON BOARD

LALIZAS Code

LALIZAS Lifebuoy Ring SOLAS 2,5kg®
LALIZAS Code

LALIZAS Lifebuoy Ring SOLAS 4,0kg®

LALIZAS Code

PRODUCT CERTIFICATES

MED approved according to SOLAS 74/78 as amended Reg. III/4, III/7, III/34, X/3, MSC.48(66), MSC.81(70) [LSA Code] as amended by MSC.207(81), MSC.36(63) and MSC.97(73) [HSC Code].

WEIGHT		

2.5 kg (5.11 lb)

4.0 kg (8.81 lb)

LIFEBUOY SHELL / INTERNAL MATERIAL

80mPE / PU Frothing

PE / PU Frothing

80m

GRAB LINE MATERIAL

PF

PE

REFLECTIVE TAPE

DROP HEIGHT

Lalizas LA70180, SOLAS/MED approved Retro- Reflective Material. In compliance with resolution A.658 (16)

HIGHLY VISIBLE COLOUR

YES

YES

STORAGE TEMPERATURE

 -30° C up to $+65^{\circ}$ C

 -30° C up to $+65^{\circ}$ C

RESISTANT TO FLAME / DIESEL OIL

YES / YES

YES / YES

YFS

715mm $\pm 5 / 445$ mm ± 5

TESTED FOR OPERATION w. LIGHT & SMOKE SIGNAL

EXTERNAL/INTERNAL DIAMETER

715mm $\pm 5 / 445$ mm ± 5



Visit our website www.lalizas.com





Visit our website www.lalizas.com